



# **Relevant Disclosure**


- My expenses for this talk are supported by Western Psychological Services.
- I have developed tests marketed by Multi- Health Systems, Pro-Ed and Western Psychological Services.
- I have authored books marketed by Springer, Wiley, Guilford, Double Day, McGraw Hill, Brookes, Kluwer and Specialty Press.
- I am Editor in Chief of the Journal of Attention Disorders (Sage) and Co-Editor of the Encyclopedia of Child Development (Springer)

# Goals for This Presentation

- Develop an understanding of trends in risky behavior in youth (12-25 years of age).
- Develop an understanding of protective factors in the lives of youth.
- Develop an appreciation of the trends in mental health assessment from one sided risk focused to a holistic strength/risk focused model.
- Learn about the development and application of the RISE in a comprehensive assessment.
- Begin a discussion about improving the lives of all youth including those with the riskiest behavior and history.







Biology is not destiny but it does effect probability. In every risk group there are those who manage to transition successfully into adult life despite their adversities.







# Risk and Protective Factors: In the Individual

3

# Risk and Protective Factors: In the Individual

Risks

- Low self-esteem • Shyness
- Emotional problems in childhood
- Conduct disorder
- · Favorable attitudes toward drugs Rebelliousness
- · Early substance use
- Antisocial behavior
- Head injury
- Marijuana use Childhood exposure to lead or mercury (neurotoxins)

High self-esteem

Emotional self-regulation

Protective

- Good coping skills and problem-solving skills
- Engagement and connections in two or more of the following contexts: school, with peers, in athletics, employment, religion, culture
  - Substance Abuse and Mental Health Services Administration (2009). Risk and protective factors for mental, emotional, and behavioral disorders across the life cycle. Summarized from: http://dhss.alaska.gov/dbh/Documents/Prevention/p /spfsig/pdfs/IOM\_Matrix\_8%205x11\_FINAL.pdf

# Risk and Protective Factors: In the Family

- Risks
- Inadequate or inappropriate child rearing practices,
   Home discord
   Maltreatment and abuse
- Large family size
- Parental antisocial history
   Poverty
- Exposure to repeated family violence
- Divorce
   Parental psychopathology
- Farential psychopathology
   Teenage parenthood
   A high level of parent-child conflict
   A low level of positive parental involvement
- Family dysfunction
- Poor parental supervision
   Sexual abuse

# Protective

- Participation in shared activities between youth and family (including siblings and parents) Providing the forum to discuss problems and issues with parents
- Availability of economic and other resources to expose youth to multiple experiences

The presence of a positive adult (ally) in the family to mentor and be supportive
Family provides structure, limits, rules, monitoring, and predictability

Supportive relationships with family members
Clear expectations for behavior and values

Substance Abuse and Mental Health Services Administration (2009). Risk and protective factors for mental, emotional, and behavioral disorders across the life cycle. Summarized from: http://dhss.alaska.gov/dbh/Documents/Prevention/programs /spfsig/pdfs/IOM\_Matrix\_8%205x11\_FINAL.pdf

# **Risk and Protective Factors: In Peers**

#### Risks

- Spending time with peers who engage in delinquent or risky behavior
- Gang involvement
- Less exposure to positive social opportunities because of bullying and rejection

#### Protective

- Positive and healthy friends to associate with
- Engagement in healthy and safe activities with peers during leisure time (e.g., clubs, sports, other recreation

Substance Abuse and Mental Health Services Administration (2009). Risk and protective factors for mental, emotional, and behavioral disorders across the life cycle. Summarized from: http://dhss.alaska.gov/dbh/Documents/Prevention/program g/pdfs/IOM\_Matrix\_8%205x11\_FINAL.pdf

4

# Risk and Protective Factors: School and Community

#### Risks

- Poor academic performance Enrollment in schools that are unsafe and fail to address the academic and social and emotional needs of children and youth
- · Low commitment to school
- Low educational aspirations Poor motivation
- Living in an impoverished neighborhood
- Social disorganization in the community in which the youth lives
- High crime neighborhoods

Protective Enrollment in schools that address not only the academic needs of youth but also their social and emotional needs and learning

Schools that provide a safe environment

A community and neighborhood that promote and foster healthy activities for youth

Substance Abuse and Mental Health Services Administration (2009). Risk and protective factors for

mental, emotional, and behavioral disorders across the life cycle. Summarized from: http://dhss.alaska.gov/dbh/Documents/Prevention/ ams/spfsig/pdfs/IOM\_Matrix\_8%205x11\_FINAL.pdf

Can Outcome Be Modeled and Predicted?

Predicting young adults' health risk behavior By Gibbons, Frederick X.,Gerrard, Meg Journal of Personality and Social Psychology, Vol 69(3), Sep 1995, 505-517

Abstract A prototype model of risk behavior is described and was tested in a longitudinal study of 679 college students, beginning at the start of their freshman year. Perceptions of the prototype associated with 4 health risk behaviors (smoking, drinking, reckless driving, and ineffective contraception) were assessed along with self-reports of the same behaviors. Results indicated that prototype perception was related to risk behavior in both a reactive and a prospective manner. That is, perceptions changed as a function of change in behavior, and perceptions predicted those behavior changes as well. This prospective relation was moderated by social comparison, as the link between perception and behavior change was stronger comparison, as the link between perception and behavior change was stronger among persons who reported frequently engaging in social comparison. (PsycINFO Database Record (c) 2016 APA, all rights reserved)

# Can Outcome Be Modeled and Predicted?

Binge Drinking Above and Below Twice the Adolescent Thresholds and Health-Risk Behaviors Ralph Waldo Hingson Wenxing Zha First published: 10 April 2018 https://doi.org/10.1111/acer.13627

behaviors, adjusting for age, sex, race/ethnicity, and drinking frequency.

In 2015, the Youth Risk Behavior Survey asked a national probability sample of 15,624 high school students grades 9 to 12 (response rate 60%) about their past-month drinking and past-month or past-year health-risk behaviors. Logistic regressions with pairwise comparisons examined the association between different drinking levels and selected risk

Seven percent binged ≥twice and 9% <twice the age-/gender-specific thresholds, and 14% drank less than the binge thresholds. Significantly higher percentages of binge drinkers at ≥twice versus <twice the thresholds versus other drinkers reported illegal drug and tobacco use, risky sexual and traffic behaviors, physical fights, suicide, less school-night sleep, and poorer school grades.

# Teen and Young Adult Risk Taking Behaviors Measured by RISE


• Suicide

- Sexual Behavior
- Eating/Sleeping
- Substance Abuse
- Bullying/Aggression
- Delinquency



Teen and Young Adult Strength Behaviors Measured by RISE

- Emotional Balance (e.g. control anger)
- Interpersonal Skill (e.g. solve a problem with a friend)
- Self Confidence (e.g. admit mistakes, make good choices)



#### **RISE** Overview

- RISE assesses risky behavior and psychological strengths
   The first tool to look at these concepts within the context of each
- other
- Ages 9 through 25 years
- Parent, Teacher and Self Forms
  15-20 minutes administration time
- Norm-referenced *T*-scores examine broad constructs of risk and strength
   Specific content scores and critical items focus on dangerous behave
- Specific content scores and critical items focus on dangerous behaviors (e.g., aggressive conduct, early sexual activity, substance abuse and suicidality)
- · Response validity scores also available
- For educational psychologists, counselors, clinical psychologists and other mental-health professionals working with children, adolescents and young adults (Level C)

## **RISE** Administration

- Can be administered using print materials or via the WPS Online Evaluation System (platform.wpspublish.com)
- Parent & Self Forms
- 66 items, each takes 10-15 mins to complete
   Teacher Form
- 36 items, takes 7-10 mins to complete
- · Items are rated on six-point scale of the
- frequency of the target behavior during the previous four weeks
- All forms also available in Spanish

# RISE Forms Allows evaluation of behavior across home, school and community settings Allows perspectives of informant (9-18 years) and Self (12-25 years)

#### Intended Use

tools.

## Educational and clinical settings.

- Core component of a comprehensive clinical assessment of individuals referred for learning and/or behavior problems.
- Integrates well with Broad Spectrum (e.g. BASC, Conners), Impairment (e.g. RSI, BFIS), Executive Functioning (e.g. CEFI, BRIEF) and Narrow Spectrum (e.g. MASC, CDI, ASRS)

#### Administration

- Very straightforward
- Can be completed by teachers, classroom aides and others without advanced training in a clinical discipline
- BUT interpretation (and subsequent treatment planning) must be handled by licensed professionals in school, counseling or clinical psychology; or related mental health professionals (e.g., social workers)
- RISE focuses on high-risk, potentially dangerous and even life-threatening behaviors, including drug use and suicide. Users must be prepared to act immediately if the RISE results indicate imminent danger to the respondent's self or others
- Results should not be used in isolation to diagnose or plan treatment

#### Administration

- No time limit for completing the form
- Parent/Self Forms 10-15 minutes
- Teacher form 7-10 minutes
- Explain the purpose of RISE and that it includes questions about behaviors that may be difficult to talk about, including sexual behavior and substance abuse. Ask if they have concerns about answering questions of this type.
- Critical to explain the limits of confidentiality that the responses are confidential except in the case where their responses indicate that the person being rated is a danger to themselves or others.
- Encourage open and honest responses "Your open and honest answers will help us learn how best to support you."

#### Print Form Completion

- Ideally the forms are completed in a professional setting so they can be checked for accuracy.
- If not possible, go over instructions thoroughly and give an envelope for its return; you
  can go over inaccurate/missing data via phone or email if necessary.
- Written at a 3<sup>sd</sup>- to 4<sup>th</sup>-grade reading level. If respondent is unable to read at this level, you can read the items aloud and ask for an oral response and note in your report that the RISE was administered in this way.
- Respondent completes demographics.
- Press firmly with pen or pencil because the mark transfers to a worksheet on the interior.
   If the respondent mistakenly circles an incorrect choice, put an X through it and circle the correct choice.
- Answer every item; if unsure, mark the best estimate of the frequency of the behavior.
- Once completed check that all questions have been answered and only one choice is marked.
- If there are missing or double-marked responses, give it back to the respondent to correct.
- Review demographic information for accuracy.

#### Hand Scoring

- 6 or more items with invalid responses, do not proceed invalid information
- Can still examine Critical Items to identify any that indicate clinical concern for follow-up
- 5 or fewer items with invalid responses, you can proceed by using median response substitution – indicated by boldface type on the Scoring Worksheet. \*Note the number of items in your written report where median substitution was used
- 6-point Likert-type scale on frequency of behaviors over past 4 weeks



Standard	ization: RISE Normative and Clinical samples	
	<ul> <li>Nationally representative (U.S.) normative sample: Matched to U.S. Census on gender, race/ethnicity, SES and U.S. geographic region</li> </ul>	
	Parent: 1,005 forms	
	Self: 1,380 forms	
	Teacher: 1,000 forms	
	Clinical validity sample:	
	<ul> <li>185 Parent Forms</li> </ul>	
	270 Self Forms	
	152 Teacher Forms	
	<ul> <li>Includes multiple sub-samples based on risk factors, diagnosis, etc.</li> </ul>	
	At Risk	
	Gang Membership	
	Suicidality/Depression	
	• ADHD	
	• ASD	
1	Eating Disorders	
	Substance Abuse	

nternal consistency coef	ficients >.90 for Si	ummary sca	les and
ISE Index: ≥.70 for Subso		,	
(152 mack, 200 for 5055	uics		
RISE Parent Form Inter	nal Consistency Estimates, Sta	andardization Sampl	e
	Parent Form	Self Form	Teacher Form
	(n = TBD)	(n = TBD)	(n = 1000)
Risk Summary Scale	0.95	0.92	0.90
Strength Summary Scale	0.95	0.93	0.95
RISE Index	0.97	0.94	0.95
Risk Subscales			
Bullying/Aggression	0.85	0.83	n/a
Delinquency	0.84	0.78	n/a
Eating/Sleeping Problems	0.85	0.82	n/a
Sexual Risk	0.82	0.70	n/a
Substance Abuse	0.88	0.78	n/a
Suicide/Self-Harm	0.91	0.91	n/a
Strength Subscales			
Emotional Balance	0.89	0.83	0.89
Interpersonal Skill	0.87	0.83	0.89
Self-Confidence	0.83	0.78	0.86

In statistics and research, internal consistency is typically a measure based on the correlations between different items on the same test. It measures whether several items that propose to measure the same general construct produce similar scores.

#### Concurrent Validity

Highlights of correlational studies with concurrent measures

2 factors (risk and strengths), so measures chosen to evaluate both

#### Risk Scale

**BASC-3** Externalizing Problems with RISE Risk Summary: Parent: r = .69; Teacher: r = .63; Self: r = .67 with BASC-3 School Problems

**Conners** CBRS Violence Potential with RISE Risk Summary: Parent: r = .66; Self: r = .66; Teacher: r = .74

Concurrent validity refers to the extent to which the results of a particular test or

#### Concurrent Validity

Highlights of correlational studies with concurrent measures 2 factors (risk and strengths), so measures chosen to evaluate

#### Strength Scale

ABAS-3 General Adaptive Composite with RISE Strength Summary: Parent: r = .75; Self: r = .58; Teacher: r = .57

Piers-Harris 3 Total score with RISE Strength Summary: Self: r = .47

Analysis of subscales (comprehensive studies in Chapter 5 of RISE Manual) demonstrates extensive evidence of concurrent validity AND shows that while these measures are complementary, the RISE provides data that other scales do not.

# Validity: Clinical Groups

At-Risk Sample (n = 160): Key validation sample for RISE: qualifying for prevention and intervention services because of unfavorable socioeconomic circumstances, current gang members, ex-gang members, and youth on probation

RISE scores differentiate at-risk youth from typically developing youth with *large, clinically significant effect sizes*.

Validity studies also cover a range of additional groups (clinicianassigned diagnosis):

 Gang Membership Suicidality/Depression
ADHD

- ASD
- Eating Disorders
- Substance Abuse

#### Five Step Interpretation:

- 1. Assess response validity with the Inconsistent Responding and Impression Management Scales
- 2. Examine the Primary Scales
- 3. Interpret the Risk and Strength Subscales
- 4. Evaluate the Critical Items
- 5. Consider the differing respondent perspectives and integrate RISE with other data.

#### Step 1: Assess Response Validity

- Validity Scales (Parent, Self Forms only)
  - Inconsistent Responding (INC): to detect random response patterns
     Impression Management (IMP): positive/negative embellishment
- 6 item pairs with similar content
- Use raw score cutoffs to interpret:
  - Parent Form, INC raw score of 8 or greater
    Self Form, INC raw score of 10 or greater
  - Parent/Self: IMP +ve raw score of 28 or greater; IMP -ve raw score of 14 or less

# NOTE: Investigate the cause of this – respondent may not have understood items. Rule this out or have them complete the form a second time. If this isn't possible, interpret the results on the RISE with caution.

esponse validity is the extent to which the actions and thought processes of test takers or survey responders demonstrate that they understand the construct in the same way it is defined by the researchers. There is no statistical test for this type of validity, but rather it is observed through respondent observation, interviews, and feedback.

## Step 2: Examine the Primary Scales

#### • Risk Summary Scale: Measures overall involvement in high-risk behaviors

Strength Summary Scale:

Measures overall psychological strengths

#### RISE Index:

Composite scale comparing relative levels of risky behavior and strengths. The RISE Index raw score is based on the T-scores from the Risks and Strengths Factor Scales. It is calculated as follows: RISE Index raw score = (Strength T-score + 50) - Risk T-score.

#### Step 2 (cont.):

#### Risk Summary scale:

<u>T > 70 Severe Risk:</u>

- Be alert to the need for an urgent response - Always calls for further investigation as soon as possible
  - T = 60-69 Mild-to-Moderate Risk:
- Further investigation may be needed to rule out the need for emergency intervention - Wise to err on the side of caution

# T < 59 Low Risk:

- Similar to that seen in typically developing youth
   Indicates that there is no need for clinical intervention BUT always
- following the interpretive process

# Step 2 (cont.): Strength Summary scale: T\_< 30: Very Low Strengths</th> - Severe lack of psychological assets - Determine specific areas of weakness by interpreting the Strength Subscales and Critical Rems to determine avenues for intervention $\underline{T}$ = 31-40: Low Strengths - Mild deficits across one or more content areas or marked deficiency in a single domain а T = 41-59: Average Strengths - Similar to that seen in typically developing youth - Overall picture is of a youth who copes reasonably well under stress <u>L> 60: Above Average Strengths</u> Higher level of psychological strength and resiliency than typically developing youth Often assume leadership roles and can resist the temptation of peer pressure to engage in risky behavior

# RISE Index: A unique metric that compares risk-proneness and psychological strengths in a single score. The interpretation of this score invokes the concepts of vulnerability and resiliency. Lower scores indicate vulnerability, higher scores indicate resiliency. <u>I < 30. Severe Vulnerability</u> Considerable clinical concern Always requires careful and thorough follow-up with the respondent and acher accessible caregivers and may require immediate clinical intervention to ensure the youth remains safe. <u>7 = 31-40: Mild-to-Moderate Vulnerability</u> - Less alarming state but one that still requires further investigation to evaluate specific risk factors and strength deficits; forther teatment can begin by addressing the most problematic of the 2 RISE Summary scales by focusing on reducing risky behavior or building up psychological strength. <u>T = 41-59: Average</u> – Similar to that seen in typically developing youth

 $\underline{T>60}$  Resilient. Youth's psychological strengths exert stronger influence on behavior than does the proneness to risk-taking behavior

#### Step 3: Interpret the Risk and Strength Subscales

#### • Risk Subscales (Parent and Self Forms only):

- Interpret using raw-score cutoffs (Risk Thresholds) that identify high-risk status

Step 2 (cont.):

- Bullying/Aggression
  Delinquency
  Eating/Sleeping Problems
- Sexual Risk
   Substance Abuse
- Suicide/Self-Harm

# • Strength Subscales (all forms)

- Interpret using norm-referenced T-scores
- Emotional Balance Interpersonal Skill
  Self-Confidence

## **Risk Scales**

On the RISE Parent and Self Forms, raw scores are calculated for the BullAgg, Delinq, EatSleep, SexRisk, SubAbuse, and Suicide Specific Risk Scales. Because the items that compose these scales refer to lowfrequency behaviors, the raw scale score distributions in the standardization samples are highly positively skewed. In practical terms, this means that among typically developing youth, the average raw score on these scales is near zero and there is little variance in these scores in the standardization sample.

# **Risk Scales**

Because of these distributional characteristics, it is not advisable to use a conventional approach to interpreting these scores; that is, converting the raw score distribution to a t-score distribution. Instead, clinically useful raw score cutoffs were identified for each scale by comparing the raw score distributions in the standardization sample to those in the at-risk sample.

For the Bull/Agg, Delinq, SexRisk, SubAbuse, and Suicide scales, the cutoff score was chosen to be the highest raw score that yielded a sensitivity of at least .60 in identifying cases in the at-risk sample. For all five scores, these cutoffs also corresponded to a t-score of at least 60, meaning that in a conventional t-score interpretative approach, the score would have been classified as indicating at least mildly elevated risk.

# **Risk Scales**

The Eat/Sleep score was handled differently, because its raw score distribution was significantly less skewed those of the other five scales. For EatSleep, the cut-off was set at the raw score that most closely approximated 60T on the t-score distribution. Again, this was done to insure that a "positive" classification based on the Eat/Sleep raw score corresponded with mildly elevated risk in a conventional t-score interpretive approach.


## Step 4: Evaluate Critical Items

- Allows focal evaluation of potentially dangerous behaviors and key strengths
- 20 risk-related items and 10 strength-related items on Parent and Self Forms
- 14 risk-related items and 6 strength-related items on the Teacher Form
- These provide descriptive information that could be the starting point for clinical intervention. However, do not base clinical decisions purely on these responses, as item responses are not statistically valid. Always use the RISE scale scores first.

Step 5: Consider different respondent perspectives

- If possible, administer all 3 forms Parent, Self and Teacher
- Overlap on ages 12 to 18 because of the potentially challenging phase of adolescent development
- Behaviors can manifest in one setting while being absent from another; breadth of perspective is important
- Teacher Form has fewer items. During development, we found that teachers have more opportunity to observe strengths than risks; therefore, this form should be used primarily as a measure of psychological strengths
- Teacher Risk T-score use with caution rely more on Self and Parent – more items

	Validity	1	Risks	RISE	1	Strens	rths			
	Impression Management	Risks Scale			Farmenths Farb					
Tocore Percentil			Specific Risks	Index	an engine scan	e Emotional Balance	Interpersonal Skill	SelfConfidence	Percentile	e Tacore
×25 ×99	19-30	86-200	Raw Score Cutoffs	98-100	98-100	35	35	30		>+25
74 99 73 99	18 17	81-85 75-80		96-97	16-17				29	74
73 99	17	75-80 72-74	Bullying/Agression	15	25		34			78
72 99	16	64-71	16	25 19.44	12-14	24	34	29	59	72
70 58		58.63	10	92	92		3.3	28	1 98	70
63 97		51.57		90.91	90-91	33		27	92	69
68 56	15	47-50		10	89		22		1 95	68
67 56		41-45			88	32		25	54	67
66 95		38-40	Delinquency	86-87	86-87		31		95	65
65 93		33-37	9	84-85	84-85	31		25	53	65
64 92	14	29-32		82-83	82-83	30	3.0		92	64
63 90		26-28		80-81	80-81	29	2.9	24	90	63
62 88 61 86		23-25		29 28	29	28			88	62
		20-22	Esting/Seeping		78	28	28	23	85	61
60 84 59 82	13	19 17-18	17	76-77	76-77	27		22	84	60 59
58 79		16		24	24	26	27	21	27	58
52 26		15		75-73	75-73	1.0			1 24	57
54 73	12	14		70	70	25	26		1 22	56
55 69		13		68-69	68-63	24	25	20	69	55
54 66		12	Sexual Risk	66-67	66-67	23			65	54
53 62		11	7	45	45	22	24	2.9	62	53
52 58	11	10		63-64	63-64				54	52
51 54		2		61-62	61-62	21	23	18	54	51
50 50				60	60		2.2		50	50
49 46				58-59	58-59	20		17	45	49
48 42	10	7	Substance Abuse	57	57	19	21		42	48
47 38 46 34			10	55-56 54	55-56 54	18	20	15	38	47 45
45 31				52.53	52-53	17	e3	15	1 24	45
45 31 44 27		1 °		52-53	52-53	15	19	*2	27	45
43 24	,	4		48-49	43-43	10	18	14	24	43
42 21		L .	Suicide	46-47	45-47	15	17	13	23	42
41 18			10	44-45	44-45		16		18	41
40 16		L		41-43	41-43	14	15		34	40
39 14		1		40	40			12	14	39
38 12		2		1	1		14		12	38
37 10		1		38-39	38-29	13		3.5	30	37
36 8 35 7	7	L .		17 15-36	37 35-36	12	13		1 ;	36 35
35 7 M 5				15-35 M	15-35 M	11	13	20	1.	35 M
33 4				12-13	12-13	11	1.4			33
32 4	6			30-31	30-31	10	11			32
31 3		1		28-29	28-29	9			l 5 -	31
30 2		•		26-27	26-27		10	7	1 i	30
29 2				25	25	7	9		2	29
28 1	5	1		24	24			6	1	28



Anna									
Scale I	Parent Raw	Parent T	¥	Parent Interpretation	Self Raw	¥	Self T	¥	Self Interpretation
RISE Index	13	2	28	Risks >> Strengths		15		28	Risks >> Strengths
Risks	31	. 6	54	Mild-Moderate		37		63	Mild-Moderate
Strengths	23	2	27	Very Low		25		28	Very Low
Suicide	1	n/a		Lo-Risk		10	n/a		Hi-Risk
SexRisk	2	n/a		Lo-Risk		2	n/a		Lo-Risk
EatSleep	25	n/a		Hi-Risk		18	n/a		Hi-Risk
SubAbuse	0	n/a		Lo-Risk		0	n/a		Lo-Risk
BullAgg	2	n/a		Lo-Risk		5	n/a		Lo-Risk
Delinq	1	n/a		Lo-Risk		2	n/a		Lo-Risk
EmoBal	5	1	26	Very Low		6		27	Very Low
IntSkill	14		38	Low		13		35	Low
SelfCon	4	. 2	26	Very Low		6		27	Very Low
INC	2	n/a		WNL		3	n/a		WNL

Step 5 (cont'd): Integrate RISE with history and other data

- Consider how RISE data fits with history.
- Interpret Risk sub-scales with Broad Spectrum data (e.g. Conners, BASC.
- Interpret Risk sub-scales with Impairment and EF data (and Adaptive data if needed).
- Interpret Risk sub-scales with Narrow Spectrum data (e.g. ASRS, MASC, CDI)
- Consider the protective role of the Strength sub scales.
- Consider the Risk, Strength and RISE scales in light of diagnostic and eligibility decisions.

# Conclusions About the Rise

- The occurrence of risky behaviors and strengths (protective factors) can be reliably measured.
- Risky behaviors and strengths can be reliably measured in a single instrument.
- Risky behaviors and strengths can be appreciated simultaneously in a valid, reliable manner.
- Risky behaviors and strengths can be seamlessly measured from adolescence to young adulthood.
- Measuring strengths and risky behaviors provides critical assessment data not provided by other Broad or Narrow spectrum tools.
- The RISE is the first instrument to accomplish these goals.

Five Strategies to Reduce Teen and Young Adult Risk Taking Behavior • Support positive behaviors of non-risk-taking individuals. Declines in risk-taking mean that the share of students taking no risks has increased. These youth need support and expanded opportunities to continue making responsible and healthy decisions as they mature.

- Target efforts to reduce specific risk behaviors toward multiple-risk students. Recent public health
  and policy efforts to reduce the prevalence of key risk behaviors, such as smoking or violence, cannot
  address these behaviors in isolation from other risk-taking.
- Encourage positive behaviors of risk-taking youth, such as time spent on extracurricular or faithbased activities. These behaviors connect students to adults and social institutions and offer opportunities to prevent risk-taking among some students or reduce risk-taking among others.
- Expand efforts to reach multiple-risk youth in nontraditional settings. Teen participation in settings such as the workplace, the criminal justice system, and faith-based institutions offers innovative opportunities for health services and education programs and the development of personal relationships with positive adult role models that can reduce risk-taking.
- Take new steps to reduce risk-taking among Hispanic students. Further research is needed to better understand both risk-taking and development of this growing group of youth. Programs that are responsive and sensitive to the current ethnic and social diversity of Hispanic youth need to be developed and implemented.

#### Focus on the whole student School Wide Educators work to build students' strengths an students fall behind in school as well as what the student includes a 360-degreee perspective. rovide professional development for staff ining for teachers, counselors, and administrators starts before implem Programs 2 . wowners, counselors, and adm the school year. Professional de icher relationshine See I-Time Classroom Curriculum to foster learning ime is an interactive weekly leason taught by core teachers where students work together to imgenerative source and the student set of the students work together to decising sensitive issues such as grief, substance use, and bullying. 2 How BARR Works of students take ourses (typically math, English, and science or social studi ioned to a team of teachers to cultivate connections and er Eight n-goals by or address ba l regular teacher team m 2 in a cohort meet weekly for a 360-degree discussion about each student in the cohort eams identify student strengths and any interventions a student might need. iew team meets regulation of discuss strategies for students who need more supp her teams can provide. This team defines and coordinates additional internal or hat can best help students thrive. Engage families in student learning With BARR, families become active partners in helping stude with parents and other family members requirity, and parents ants be their best. Teac Engage administration



# The Mindset of a Resilient Person


- Optimistic and hopeful.
- Feel special and appreciated in the eyes of others.
- Set realistic goals and expectations.
- View mistakes, hardships and obstacles as challenges.
- Solve problems and make decisions.
- Internal locus of control.
- Believe you can and set out to solve problems.
- Possess empathy.

# **General Conclusions**

- An early history of developing competence, along with supportive, consistent care, serves as a powerful and enduring buffer throughout childhood and increases probability of resilience.
- The pathways that lead to resilience are complex.
- There is a great need to map the interaction of personal and environmental factors.


# **General Conclusions**

- Longitudinal research needs to be conducted on a large scale and gene-environment focused.
- We require a broader cross-cultural perspective.
- We need to know more about individual dispositions and temperament as well as sources of family support.



## Goldstein's Axiom





#